

BUREAU VERITAS
Certification



RSPO P&C CERTIFICATE

Number: BVC-RSPO-20170827-01

Bureau Veritas Hong Kong certifies that:

Sichon Palm Yangyuen Community Enterprise Group

81 MOO 4, T.TUNGPRANG, A.SICHON, NAKORN SI THAMARAT 80120,
THAILAND

RSPO member number: 1-0166-14-000-00

has been assessed and found to conform, based on an audit and a signed contract,
to the requirements of the standard(s) detailed below:

**RSPO Management System Requirements and Guidance for Group Certification of FFB Production
(7th March 2016)**

Date of the first RSPO certification: **27/05/2015**

Subject to the continued satisfactory operation of the organisation's Management System, this certificate
is valid from **27/05/2015** to **26/05/2020**

Further clarifications regarding the scope of this certificate and the applicability of the management
system requirements may be obtained by consulting the organisation.

Annex 1, which is an integral part of this certificate, indicates the covered palm oil mill and its supply base with
their details of location and certified products.

Hongkong, on **27/08/2017**

Hubert De-Bonafos
Certification Authority



8-0194-17-100-00



ASI-ACC-060

Managing office address: Bureau Veritas Certification Hong Kong Limited, Rm. 23-25, 10/F, Pacific Trade Centre, 2 Kai Hing Road,
Kowloon Bay, Hong Kong

Bureau Veritas Certification Hong Kong was accredited to provide RSPO Supply Chain Certification on 2nd June, 2014

This certificate remains property of Bureau Veritas Certification Hong Kong and can be withdrawn in case of terminations
as mentioned in the contract or in case of changes or deviations of the above-mentioned data. The licensee is obliged to
inform Bureau Veritas Certification Hong Kong immediately of any changes in the above-mentioned data. Only an original
and signed certificate is valid. This certificate remains the property of Bureau Veritas Certification Hong Kong. All copies
or reproductions and the certificate itself shall be immediately returned to our company on request.

BUREAU VERITAS
Certification



Group certification of FFB production

Sichon Palm Yangyuen Community Enterprise Group
81 MOO 4, T.TUNGPRANG, A.SICHON, NAKORN SI THAMARAT 80120,
THAILAND

RSPO member number: 1-0166-14-000-00

| Coordinates | Number of group members | Trading system |
|---------------------------|-------------------------|---------------------------------|
| 8°58'510" N; 99°52'771" E | 123 | Physical Trading Book and Claim |

Annual Certifiable Production of FFB, CPO, PK, PKO and PKE

| Products | Volume (mt) |
|----------------------------|-------------|
| Fresh Fruit Bunches | 10,564 |
| Crude Palm Oil (CPO) | 2,113 |
| Palm Kernel (PK) | 528 |
| Palm Kernel Oil (PKO) | 238 |
| Palm Kernel Expeller (PKE) | 291 |

Managing office address: Bureau Veritas Certification Hong Kong Limited, Rm. 23-25, 10/F, Pacific Trade Centre, 2 Kai Hing Road, Kowloon Bay, Hong Kong

Bureau Veritas Certification Hong Kong was accredited to provide RSPO Supply Chain Certification on 2nd June, 2014

This certificate remains property of Bureau Veritas Certification Hong Kong and can be withdrawn in case of terminations as mentioned in the contract or in case of changes or deviations of the above-mentioned data. The licensee is obliged to inform Bureau Veritas Certification Hong Kong immediately of any changes in the above-mentioned data. Only an original and signed certificate is valid. This certificate remains the property of Bureau Veritas Certification Hong Kong. All copies or reproductions and the certificate itself shall be immediately returned to our company on request..





List of group members

| Group No. | Smallholders Name | Plot No. | Location | | | Planted Area (Ha) |
|-----------|------------------------|----------|--------------|----------|---------------------|-------------------|
| | | | Sub-District | District | Province | |
| 1 | Mr.Samrit Ketkliang | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.06 |
| | Mr.Samrit Ketkliang | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.83 |
| | Mr.Samrit Ketkliang | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.84 |
| 2 | Mr.Rukchat Chuchoet | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 2.80 |
| | Mr.Rukchat Chuchoet | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 2.47 |
| | Mr.Rukchat Chuchoet | Plot 3 | Thungsai | Sichon | Nakhon Si Thammarat | 1.79 |
| | Mr.Rukchat Chuchoet | Plot 4 | Khanom | Sichon | Nakhon Si Thammarat | 1.60 |
| 3 | Ms.Orawan Jitkhamen | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.73 |
| 4 | Mr.Somsak Klapkaew | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.61 |
| | Mr.Somsak Klapkaew | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.93 |
| 5 | Mr.Suwit Thanimkan | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.02 |
| 6 | Ms.Saiporn Thanimkan | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.65 |
| 7 | Mr.Sunthorn Rukbamrung | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.66 |
| 8 | Miss Nanthiya Jaisue | Plot 1 | Sikid | Sichon | Nakhon Si Thammarat | 1.56 |
| | Miss Nanthiya Jaisue | Plot 2 | Sikid | Sichon | Nakhon Si Thammarat | 1.00 |
| 9 | Miss Arporn Jaihaw | Plot 1 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.64 |
| 10 | Mr.Somchai Chamnan | Plot 1 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.43 |
| | Mr.Somchai Chamnan | Plot 2 | Tapparatt | Sichon | Nakhon Si Thammarat | 1.85 |
| 11 | Mr.Somchit Detkaew | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.55 |
| | Mr.Somchit Detkaew | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.92 |
| 12 | Mr.Niwat Ngamkham | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.90 |

BUREAU VERITAS
Certification



| | | | | | | |
|----|---------------------------|--------|------------|--------|---------------------|------|
| 13 | Mr.Pirapong Wibunsin | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.63 |
| | Mr.Pirapong Wibunsin | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.15 |
| 14 | Mr.Audorn Wibunsin | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.88 |
| 15 | Mr.Alongkorn Wichaidit | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 4.80 |
| 16 | Mr.Sutham Thaworn | Plot 1 | Talingchun | Tasala | Nakhon Si Thammarat | 2.48 |
| 17 | Ms.Phatchari Damkaew | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.52 |
| | Ms.Phatchari Damkaew | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.40 |
| | Ms.Phatchari Damkaew | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.16 |
| | Ms.Phatchari Damkaew | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 0.77 |
| 18 | Mr.Wichian Saengdun | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.80 |
| | Mr.Wichian Saengdun | Plot 2 | Takhun | Tasala | Nakhon Si Thammarat | 0.73 |
| | Mr.Wichian Saengdun | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.47 |
| 19 | Mr.Sunthorn Thaworn | Plot 2 | Takhun | Tasala | Nakhon Si Thammarat | 0.98 |
| 20 | Mr.Rawi Ketkaew | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.25 |
| | Mr.Rawi Ketkaew | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.70 |
| 21 | Mr.Prapan Kritsakri | Plot 1 | Sikid | Sichon | Nakhon Si Thammarat | 1.83 |
| 22 | Ms.Nannaphat Chanthipbodi | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.60 |
| 23 | Miss Suphattra Phromkaew | Plot 1 | Prean | Sichon | Nakhon Si Thammarat | 0.49 |
| | Miss Suphattra Phromkaew | Plot 2 | Prean | Sichon | Nakhon Si Thammarat | 1.62 |
| | Miss Suphattra Phromkaew | Plot 3 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.33 |
| | Miss Suphattra Phromkaew | Plot 4 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.16 |
| | Miss Suphattra Phromkaew | Plot 5 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.08 |
| | Miss Suphattra Phromkaew | Plot 6 | Prean | Sichon | Nakhon Si Thammarat | 2.57 |
| | Miss Suphattra Phromkaew | Plot 7 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.39 |
| | Miss Suphattra Phromkaew | Plot 8 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.04 |
| | Miss Suphattra Phromkaew | Plot 9 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.42 |



BUREAU VERITAS Certification



| | | | | | | |
|----|---------------------------|---------|------------|--------|---------------------|------|
| | Miss Suphattra Phromkaew | Plot 10 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.75 |
| 24 | Mr.Sayan Hitawatthanakun | Plot 1 | Prean | Sichon | Nakhon Si Thammarat | 2.66 |
| 25 | Ms.Wanni Saenphakdi | Plot 1 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.69 |
| | Ms.Wanni Saenphakdi | Plot 2 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.37 |
| 26 | Mr.Thanongsak Chaiyaphong | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 2.00 |
| | Mr.Thanongsak Chaiyaphong | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.10 |
| | Mr.Thanongsak Chaiyaphong | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.63 |
| 27 | Mr.Charun Suksawat | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.97 |
| 28 | Mr.Maitri Boriphatt | Plot 1 | Sikid | Sichon | Nakhon Si Thammarat | 1.28 |
| | Mr.Maitri Boriphatt | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.00 |
| | Mr.Maitri Boriphatt | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.65 |
| | Mr.Maitri Boriphatt | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 0.60 |
| 29 | Mr.Saengauthitt Wibunsin | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.44 |
| | Mr.Saengauthitt Wibunsin | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.72 |
| | Mr.Saengauthitt Wibunsin | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 1.61 |
| | Mr.Saengauthitt Wibunsin | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 0.19 |
| 30 | Mr.Niphon Wichaditt | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 2.96 |
| | Mr.Niphon Wichaditt | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.65 |
| 31 | Mr.phaichitt Nuanphlapp | Plot 1 | Prean | Sichon | Nakhon Si Thammarat | 1.37 |
| | Mr.phaichitt Nuanphlapp | Plot 2 | Prean | Sichon | Nakhon Si Thammarat | 1.96 |
| | Mr.phaichitt Nuanphlapp | Plot 3 | Prean | Sichon | Nakhon Si Thammarat | 2.14 |
| | Mr.phaichitt Nuanphlapp | Plot 4 | Prean | Sichon | Nakhon Si Thammarat | 1.40 |
| 32 | Mr.Narongritt Phianchat | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.08 |
| | Mr.Narongritt Phianchat | Plot 2 | Sikid | Sichon | Nakhon Si Thammarat | 1.09 |
| | Mr.Narongritt Phianchat | Plot 3 | Sikid | Sichon | Nakhon Si Thammarat | 0.61 |
| | Mr.Narongritt Phianchat | Plot 4 | Sikid | Sichon | Nakhon Si Thammarat | 7.89 |



BUREAU VERITAS

Certification



| | | | | | | |
|----|-------------------------------|--------|------------|--------|---------------------|-------|
| | Mr.Narongrit Phianchat | Plot 5 | Sichon | Sichon | Nakhon Si Thammarat | 1.23 |
| | Mr.Narongrit Phianchat | Plot 6 | Sikid | Sichon | Nakhon Si Thammarat | 1.91 |
| | Mr.Narongrit Phianchat | Plot 7 | Sikid | Sichon | Nakhon Si Thammarat | 2.72 |
| 33 | Miss Aussani Phromkhiri | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.16 |
| 34 | Mr.Somkiat Chianmat | Plot 1 | Takun | Tasala | Nakhon Si Thammarat | 2.31 |
| 35 | Mr.Phaisan Nakphan | Plot 1 | Sikid | Sichon | Nakhon Si Thammarat | 9.29 |
| | Mr.Phaisan Nakphan | Plot 2 | Sikid | Sichon | Nakhon Si Thammarat | 1.54 |
| 36 | Mr.Surat Phetset | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.16 |
| 37 | Mr.Samran Thiangtrong | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.87 |
| | Mr.Samran Thiangtrong | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.10 |
| 38 | Ms.Buaytiang Kamnoennopphalak | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 15.03 |
| | Ms.Buaytiang Kamnoennopphalak | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 1.94 |
| | Ms.Buaytiang Kamnoennopphalak | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 4.34 |
| | Ms.Buaytiang Kamnoennopphalak | Plot 4 | Sichon | Sichon | Nakhon Si Thammarat | 3.31 |
| | Ms.Buaytiang Kamnoennopphalak | Plot 5 | Sichon | Sichon | Nakhon Si Thammarat | 0.64 |
| 39 | Mr.Siriwat Chindawatthanapong | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.17 |
| | Mr.Siriwat Chindawatthanapong | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.90 |
| | Mr.Siriwat Chindawatthanapong | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.94 |
| | Mr.Siriwat Chindawatthanapong | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.94 |
| 40 | Miss Amornchanyapan Thanchai | Plot 1 | Sakaew | Tasala | Nakhon Si Thammarat | 4.80 |
| | Miss Amornchanyapan Thanchai | Plot 2 | Sakaew | Tasala | Nakhon Si Thammarat | 1.37 |
| | Miss Amornchanyapan Thanchai | Plot 3 | Sakaew | Tasala | Nakhon Si Thammarat | 1.12 |
| | Miss Amornchanyapan Thanchai | Plot 4 | Takun | Tasala | Nakhon Si Thammarat | 1.80 |
| 41 | Mr.Sanchai Chairoek | Plot 1 | Tappararat | Sichon | Nakhon Si Thammarat | 0.48 |
| | Mr.Sanchai Chairoek | Plot 2 | Tappararat | Sichon | Nakhon Si Thammarat | 0.75 |
| | Mr.Sanchai Chairoek | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.65 |
| | Mr.Sanchai Chairoek | Plot 4 | Saopao | Sichon | Nakhon Si Thammarat | 0.49 |



BUREAU VERITAS
Certification



| | | | | | | |
|----|-------------------------|--------|------------|--------|---------------------|------|
| 42 | Mr.Suchao Kangsukun | Plot 1 | Sekid | Sichon | Nakhon Si Thammarat | 1.85 |
| | Mr.Suchao Kangsukun | Plot 2 | Sekid | Sichon | Nakhon Si Thammarat | 4.33 |
| | Mr.Suchao Kangsukun | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 1.00 |
| 43 | Mr.Wongrawi Wichaidit | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.60 |
| | Mr.Wongrawi Wichaidit | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 2.08 |
| 44 | Mrs.Pongrut Watcharakan | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.66 |
| | Mrs.Pongrut Watcharakan | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.04 |
| | Mrs.Pongrut Watcharakan | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.65 |
| 45 | Mrs.Somkid Juloeay | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.82 |
| | Mrs.Somkid Juloeay | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.67 |
| 46 | Mrs.Sukon Muangto | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.09 |
| | Mrs.Sukon Muangto | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.69 |
| | Mrs.Sukon Muangto | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.35 |
| | Mrs.Sukon Muangto | Plot 4 | Saopao | Sichon | Nakhon Si Thammarat | 1.81 |
| | Mrs.Sukon Muangto | Plot 5 | Saopao | Sichon | Nakhon Si Thammarat | 0.67 |
| 47 | Mr.Samruai Chaihow | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 3.69 |
| 48 | Mr.Jaroon Vichaikoon | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.10 |
| | Mr.Jaroon Vichaikoon | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.67 |
| 49 | Mr.Teab Changsalak | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 2.57 |
| 50 | Mr.Saghob Jitkament | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.72 |
| | Mr.Saghob Jitkament | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.27 |
| | Mr.Saghob Jitkament | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.21 |
| | Mr.Saghob Jitkament | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 0.94 |
| | Mr.Saghob Jitkament | Plot 5 | Thungprang | Sichon | Nakhon Si Thammarat | 0.71 |
| | Mr.Saghob Jitkament | Plot 6 | Thungprang | Sichon | Nakhon Si Thammarat | 1.81 |
| | Mr.Saghob Jitkament | Plot 7 | Thungprang | Sichon | Nakhon Si Thammarat | 0.39 |

BUREAU VERITAS Certification



| | | | | | | |
|----|------------------------|--------|------------|--------|---------------------|------|
| | Mr.Saghob Jitkament | Plot 8 | Thungprang | Sichon | Nakhon Si Thammarat | 1.12 |
| | Mr.Saghob Jitkament | Plot 9 | Thungprang | Sichon | Nakhon Si Thammarat | 1.81 |
| 51 | Mr.Singha Suwannawong | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 2.74 |
| | Mr.Singha Suwannawong | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 1.25 |
| 52 | Mrs.Supanit Suwannurak | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.08 |
| | Mrs.Supanit Suwannurak | Plot 2 | Khonoi | Sichon | Nakhon Si Thammarat | 2.52 |
| 53 | Mrs.Lamai Henprom | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.38 |
| | Mrs.Lamai Henprom | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.68 |
| 54 | Mr.Kraiangkrai Chcham | Plot 1 | Khonoi | Sichon | Nakhon Si Thammarat | 1.12 |
| | Mr.Kraiangkrai Chcham | Plot 2 | Khonoi | Sichon | Nakhon Si Thammarat | 0.13 |
| | Mr.Kraiangkrai Chcham | Plot 3 | Khonoi | Sichon | Nakhon Si Thammarat | 3.47 |
| 55 | Mrs.Kanyalak Chaiphuk | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.36 |
| | Mrs.Kanyalak Chaiphuk | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.10 |
| | Mrs.Kanyalak Chaiphuk | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.40 |
| 56 | Mrs.Tippawan Datkaew | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.58 |
| | Mrs.Tippawan Datkaew | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.24 |
| | Mrs.Tippawan Datkaew | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 1.99 |
| | Mrs.Tippawan Datkaew | Plot 4 | Sekid | Sichon | Nakhon Si Thammarat | 0.82 |
| 57 | Mrs.Khruewun Jaiaree | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.46 |
| | Mrs.Khruewun Jaiaree | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.53 |
| 58 | Mr.Kamoljit jaiaree | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 2.89 |
| 59 | Mrs.Wanna Phomkeeree | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 1.92 |
| | Mrs.Wanna Phomkeeree | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 1.58 |
| | Mrs.Wanna Phomkeeree | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 1.88 |
| | Mrs.Wanna Phomkeeree | Plot 4 | Sichon | Sichon | Nakhon Si Thammarat | 0.53 |
| 60 | Mrs.Phanida Samsuwan | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 1.03 |



BUREAU VERITAS
Certification



| | | | | | | |
|----|-----------------------|--------|------------|--------|---------------------|------|
| | Mrs.Phanida Samsuwan | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 1.37 |
| 61 | Mrs.Wandee Saengpaor | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.60 |
| | Mrs.Wandee Saengpaor | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.80 |
| 62 | Mr.Somchay Damkaew | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.76 |
| | Mr.Somchay Damkaew | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 0.63 |
| 63 | Mr.Narongsak Ponwat | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 1.35 |
| | Mr.Narongsak Ponwat | Plot 2 | Tarai | Meang | Nakhon Si Thammarat | 0.76 |
| | Mr.Narongsak Ponwat | Plot 3 | Tarai | Meang | Nakhon Si Thammarat | 1.23 |
| | Mr.Narongsak Ponwat | Plot 4 | Tarai | Meang | Nakhon Si Thammarat | 0.75 |
| 64 | Mr.Anuchat Noonoi | Plot 1 | Takhun | Sichon | Nakhon Si Thammarat | 3.45 |
| 65 | Mr.Prakob Jaihow | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.95 |
| 66 | Mr.Suchat Chaipong | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 4.32 |
| | Mr.Suchat Chaipong | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.62 |
| 67 | Mr.Jaran Taingtrong | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.68 |
| | Mr.Jaran Taingtrong | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.73 |
| 68 | Mr.Supphachai Saewang | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.57 |
| | Mr.Supphachai Saewang | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.89 |
| | Mr.Supphachai Saewang | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.48 |
| 69 | Mr.Sakda Ngamkhon | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.73 |
| | Mr.Sakda Ngamkhon | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.73 |
| 70 | Mr.Jamlong Khamkhom | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.80 |
| | Mr.Jamlong Khamkhom | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.53 |
| | Mr.Jamlong Khamkhom | Plot 3 | Tapparatt | Sichon | Nakhon Si Thammarat | 1.27 |
| | Mr.Jamlong Khamkhom | Plot 4 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.59 |
| | Mr.Jamlong Khamkhom | Plot 5 | Tapparatt | Sichon | Nakhon Si Thammarat | 0.56 |
| 71 | Mr.Mucha Phongyeela | Plot 1 | Klay | Sichon | Nakhon Si Thammarat | 1.50 |



BUREAU VERITAS
Certification



| | | | | | | |
|----|-----------------------|--------|------------|--------|---------------------|------|
| | Mr.Mucha Phongyeela | Plot 2 | Klay | Sichon | Nakhon Si Thammarat | 0.48 |
| 72 | Mr.Mongkon Phongyeela | Plot 1 | Klay | Sichon | Nakhon Si Thammarat | 0.96 |
| | Mr.Mongkon Phongyeela | Plot 2 | Klay | Sichon | Nakhon Si Thammarat | 9.39 |
| | Mr.Mongkon Phongyeela | Plot 3 | Klay | Sichon | Nakhon Si Thammarat | 0.48 |
| 73 | Mrs.Ladda Boriphit | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.98 |
| | Mrs.Ladda Boriphit | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 1.02 |
| 74 | Mrs.Chaum Jaisabai | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.68 |
| 75 | Mr.Tanapat Intara | Plot 1 | Sekid | Sichon | Nakhon Si Thammarat | 1.74 |
| | Mr.Tanapat Intara | Plot 2 | Sekid | Sichon | Nakhon Si Thammarat | 1.58 |
| 76 | Mr.Somma Simueang | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.41 |
| | Mr.Somma Simueang | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 2.12 |
| | Mr.Somma Simueang | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.96 |
| | Mr.Somma Simueang | Plot 4 | Saopao | Sichon | Nakhon Si Thammarat | 0.65 |
| 77 | Mr.Chokdee Jainae | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.66 |
| | Mr.Chokdee Jainae | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 2.03 |
| | Mr.Chokdee Jainae | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 1.28 |
| | Mr.Chokdee Jainae | Plot 4 | Kawntong | Khanom | Nakhon Si Thammarat | 1.44 |
| 78 | Mrs.Sukon Chaykun | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.17 |
| 79 | Mr.Akom Jaiaree | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.75 |
| | Mr.Akom Jaiaree | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 0.48 |
| | Mr.Akom Jaiaree | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 1.18 |
| | Mr.Akom Jaiaree | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 0.72 |
| | Mr.Akom Jaiaree | Plot 5 | Thungprang | Sichon | Nakhon Si Thammarat | 0.71 |
| 80 | Mr.Wirat Wichaidit | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 2.21 |
| 81 | Mr.Tepakorn Khanom | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.12 |
| | Mr.Tepakorn Khanom | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.91 |



BUREAU VERITAS Certification



| | | | | | | |
|----|---------------------------|--------|------------|--------|---------------------|------|
| | Mr.Tepakorn Khanom | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.40 |
| | Mr.Tepakorn Khanom | Plot 4 | Saopao | Sichon | Nakhon Si Thammarat | 0.16 |
| 82 | Mr.Thaworn Chaichamnan | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.88 |
| | Mr.Thaworn Chaichamnan | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 1.19 |
| | Mr.Thaworn Chaichamnan | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.46 |
| | Mr.Thaworn Chaichamnan | Plot 4 | Saopao | Sichon | Nakhon Si Thammarat | 1.70 |
| | Mr.Thaworn Chaichamnan | Plot 5 | Saopao | Sichon | Nakhon Si Thammarat | 0.57 |
| | Mr.Thaworn Chaichamnan | Plot 6 | Saopao | Sichon | Nakhon Si Thammarat | 1.68 |
| 83 | Mrs.Jiraporn Wichaidit | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 0.78 |
| | Mrs.Jiraporn Wichaidit | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 0.24 |
| | Mrs.Jiraporn Wichaidit | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 0.72 |
| | Mrs.Jiraporn Wichaidit | Plot 4 | Sichon | Sichon | Nakhon Si Thammarat | 1.13 |
| 84 | Mr.Niwat Hongchu | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.84 |
| | Mr.Niwat Hongchu | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.40 |
| | Mr.Niwat Hongchu | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.48 |
| 85 | Mr.Mudsariin Toaden | Plot 1 | Klay | Sichon | Nakhon Si Thammarat | 2.07 |
| 86 | Mr.Apsit Vongvapong | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.62 |
| | Mr.Apsit Vongvapong | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.86 |
| 87 | Mr.Arrom Sangtang | Plot 1 | Khonoi | Sichon | Nakhon Si Thammarat | 1.79 |
| | Mr.Arrom Sangtang | Plot 2 | Khonoi | Sichon | Nakhon Si Thammarat | 0.41 |
| | Mr.Arrom Sangtang | Plot 3 | Khonoi | Sichon | Nakhon Si Thammarat | 0.64 |
| 88 | Mrs.Jittana Tanawanitchar | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.31 |
| | Mrs.Jittana Tanawanitchar | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.20 |
| | Mrs.Jittana Tanawanitchar | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 2.09 |
| | Mrs.Jittana Tanawanitchar | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 0.52 |
| 89 | Mr.Supot Kaetkaew | Plot 1 | Chalong | Sichon | Nakhon Si Thammarat | 0.55 |



BUREAU VERITAS
Certification



| | | | | | | |
|----|------------------------------|--------|------------|--------|---------------------|------|
| | Mr.Supot Kaetkaew | Plot 2 | Chalong | Sichon | Nakhon Si Thammarat | 0.57 |
| | Mr.Supot Kaetkaew | Plot 3 | Chalong | Sichon | Nakhon Si Thammarat | 0.28 |
| 90 | Mrs.Supranee Chaipong | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 4.80 |
| | Mrs.Supranee Chaipong | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.93 |
| 91 | Mr.Ekkachai Tippayajaturon | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 7.23 |
| | Mr.Ekkachai Tippayajaturon | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.02 |
| | Mr.Ekkachai Tippayajaturon | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 3.04 |
| 92 | Mrs.Benjawan Tippayajaturon | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.33 |
| | Mrs.Benjawan Tippayajaturon | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 5.76 |
| | Mrs.Benjawan Tippayajaturon | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 5.12 |
| 93 | Mrs.Gontong Jindawattanapong | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.59 |
| | Mrs.Gontong Jindawattanapong | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 0.58 |
| 94 | Mrs.Wandee Chimplee | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 2.44 |
| | Mrs.Wandee Chimplee | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.90 |
| 95 | Mr.Amnoy Chaichamnan | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.52 |
| | Mr.Amnoy Chaichamnan | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 3.03 |
| | Mr.Amnoy Chaichamnan | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.64 |
| 96 | Mrs.Kritsana Kasornsit | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.52 |
| | Mrs.Kritsana Kasornsit | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.71 |
| | Mrs.Kritsana Kasornsit | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.87 |
| 97 | Mr.Winai Promset | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 0.58 |
| | Mr.Winai Promset | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 0.48 |
| | Mr.Winai Promset | Plot 3 | Sekid | Sichon | Nakhon Si Thammarat | 0.80 |
| | Mr.Winai Promset | Plot 4 | Sekid | Sichon | Nakhon Si Thammarat | 0.79 |
| 98 | Mrs.Kuson Chaipong | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.79 |
| | Mrs.Kuson Chaipong | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.15 |

BUREAU VERITAS Certification



| | | | | | | |
|-----|--------------------------|--------|------------|--------|---------------------|------|
| | Mrs.Kuson Chaipong | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.65 |
| | Mrs.Kuson Chaipong | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 2.03 |
| 99 | Mr.Thanit Raungrat | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 7.08 |
| | Mr.Thanit Raungrat | Plot 2 | Saopao | Sichon | Nakhon Si Thammarat | 1.29 |
| | Mr.Thanit Raungrat | Plot 3 | Saopao | Sichon | Nakhon Si Thammarat | 0.98 |
| 100 | Mr.Wanna Kerdsuwan | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 0.80 |
| | Mr.Wanna Kerdsuwan | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 0.37 |
| | Mr.Wanna Kerdsuwan | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 0.72 |
| 101 | Mr.Suton Chonsin | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 1.24 |
| | Mr.Suton Chonsin | Plot 2 | Sekid | Sichon | Nakhon Si Thammarat | 0.75 |
| | Mr.Suton Chonsin | Plot 3 | Sekid | Sichon | Nakhon Si Thammarat | 0.58 |
| 102 | Mrs.Kaew Wichaiyut | Plot 1 | Sekid | Sichon | Nakhon Si Thammarat | 0.87 |
| 103 | Mr.Suphap Khondee | Plot 1 | Khonoi | Sichon | Nakhon Si Thammarat | 0.48 |
| 104 | Mrs.Aree Sangtongdee | Plot 1 | Khonoi | Sichon | Nakhon Si Thammarat | 2.90 |
| 105 | Mrs.Thipwimon Khonsue | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.60 |
| | Mrs.Thipwimon Khonsue | Plot 2 | Tasala | Tasala | Nakhon Si Thammarat | 1.12 |
| 106 | Mr.Tipakorn Kanjanasopak | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 1.22 |
| | Mr.Tipakorn Kanjanasopak | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 1.74 |
| 107 | Mr.Surasak O-Kat | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.52 |
| | Mr.Surasak O-Kat | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.60 |
| | Mr.Surasak O-Kat | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 0.21 |
| | Mr.Surasak O-Kat | Plot 4 | Sichon | Sichon | Nakhon Si Thammarat | 0.57 |
| 108 | Mr.Kittisuk Niyom | Plot 1 | Sichon | Sichon | Nakhon Si Thammarat | 0.42 |
| | Mr.Kittisuk Niyom | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 1.31 |
| | Mr.Kittisuk Niyom | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 0.48 |
| 109 | Mr.Somboon Boonmee | Plot 1 | Tungsai | Sichon | Nakhon Si Thammarat | |



BUREAU VERITAS
Certification



| | | | | | | |
|-----|-------------------------|--------|------------|--------|---------------------|------|
| | | | | | | 0.81 |
| | Mr.Somboon Boonmee | Plot 2 | Tungsai | Sichon | Nakhon Si Thammarat | 0.70 |
| | Mr.Somboon Boonmee | Plot 3 | Tungsai | Sichon | Nakhon Si Thammarat | 0.68 |
| 110 | Mrs.Suwantha Sisuksawat | Plot 1 | Chalong | Sichon | Nakhon Si Thammarat | 0.55 |
| | Mrs.Suwantha Sisuksawat | Plot 2 | Chalong | Sichon | Nakhon Si Thammarat | 0.41 |
| 111 | Mrs.Wanwalee Bunsuan | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 0.63 |
| 112 | Mr.Somcaat Siphadet | Plot 1 | Sikid | Sichon | Nakhon Si Thammarat | 0.91 |
| 113 | Mr.Winai Saengartit | Plot 1 | Mokkalan | Tasala | Nakhon Si Thammarat | 4.21 |
| | Mr.Winai Saengartit | Plot 2 | Mokkalan | Tasala | Nakhon Si Thammarat | 0.96 |
| | Mr.Winai Saengartit | Plot 3 | Mokkalan | Tasala | Nakhon Si Thammarat | 2.38 |
| | Mr.Winai Saengartit | Plot 4 | Mokkalan | Tasala | Nakhon Si Thammarat | 0.39 |
| 114 | Mr.Paisan Nanakon | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 0.65 |
| | Mr.Paisan Nanakon | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.33 |
| | Mr.Paisan Nanakon | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 1.00 |
| | Mr.Paisan Nanakon | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 0.38 |
| | Mr.Paisan Nanakon | Plot 5 | Thungprang | Sichon | Nakhon Si Thammarat | 1.50 |
| 115 | Mr.Preecha Srithong | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 4.05 |
| | Mr.Preecha Srithong | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.81 |
| 116 | Mrs.Wannee Rattanaporn | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 2.20 |
| | Mrs.Wannee Rattanaporn | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 1.26 |
| 117 | Mr.Nanthachai Thipdet | Plot 1 | Khonoi | Sichon | Nakhon Si Thammarat | 0.40 |
| | Mr.Nanthachai Thipdet | Plot 2 | Khonoi | Sichon | Nakhon Si Thammarat | 1.68 |
| | Mr.Nanthachai Thipdet | Plot 3 | Khonoi | Sichon | Nakhon Si Thammarat | 1.00 |
| | Mr.Nanthachai Thipdet | Plot 5 | Khonoi | Sichon | Nakhon Si Thammarat | 0.61 |
| 118 | Mrs.Vassana Chiewchan | Plot 1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.92 |
| | Mrs.Vassana Chiewchan | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 0.74 |



BUREAU VERITAS
Certification



| | | | | | | |
|-----|------------------------|--------|------------|--------|---------------------|--------|
| | Mrs.Vassana Chiewchan | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 0.38 |
| 119 | Mr.Eusop Tholongmad | Plot 1 | Tasala | Tasala | Nakhon Si Thammarat | 2.42 |
| | Mr.Eusop Tholongmad | Plot 2 | Tasala | Tasala | Nakhon Si Thammarat | 0.88 |
| 120 | Miss.Lan Saelao | Plot1 | Thungprang | Sichon | Nakhon Si Thammarat | 1.28 |
| | Miss.Lan Saelao | Plot 2 | Thungprang | Sichon | Nakhon Si Thammarat | 4.80 |
| | Miss.Lan Saelao | Plot 3 | Thungprang | Sichon | Nakhon Si Thammarat | 1.63 |
| | Miss.Lan Saelao | Plot 4 | Thungprang | Sichon | Nakhon Si Thammarat | 2.20 |
| | Miss.Lan Saelao | Plot 5 | Thungprang | Sichon | Nakhon Si Thammarat | 1.19 |
| | Miss.Lan Saelao | Plot 6 | Thungprang | Sichon | Nakhon Si Thammarat | 0.70 |
| | Miss.Lan Saelao | Plot 7 | Thungprang | Sichon | Nakhon Si Thammarat | 1.88 |
| | Miss.Lan Saelao | Plot 8 | Thungprang | Sichon | Nakhon Si Thammarat | 0.48 |
| | Miss.Lan Saelao | Plot 9 | Thungprang | Sichon | Nakhon Si Thammarat | 0.42 |
| 121 | Mr.Panupong Boonprakob | Plot1 | Tugsai | Sichon | Nakhon Si Thammarat | 2.56 |
| | Mr.Panupong Boonprakob | Plot 2 | Tugsai | Sichon | Nakhon Si Thammarat | 0.71 |
| | Mr.Panupong Boonprakob | Plot 3 | Tugsai | Sichon | Nakhon Si Thammarat | 1.71 |
| 122 | Mr.Dumrong Nakkaphun | Plot1 | Sekid | Sichon | Nakhon Si Thammarat | 1.86 |
| | Mr.Dumrong Nakkaphun | Plot 2 | Sichon | Sichon | Nakhon Si Thammarat | 1.45 |
| | Mr.Dumrong Nakkaphun | Plot 3 | Sichon | Sichon | Nakhon Si Thammarat | 1.74 |
| 123 | Mr.Wichit Suwanwong | Plot 1 | Saopao | Sichon | Nakhon Si Thammarat | 1.14 |
| | | | | | | 454.99 |